BELL TABLE

(NEW)

Bell is an exercise in reductionism, formed from pressed steel then plated in Brass, Copper, Chrome, Iridescent PVD Blue and Glossy Black. Bell's reflective surface allows it to take on the characteristics of its surroundings. Available across Table and Floor.

BELL TABLE EU

Code
Copper	BET01CEU
Chrome	BET01CHEU
Brass	BET01BEU
Black	BET01BKEU

Year of Design	2012
Material	Steel
Bulb Spec	E27 60W (max). Bulb not included.
Cable Spec	200cm/78.7in black fabric cable.
Dimmability	Dimmer switch on base.

28 / 11"

44 / 17.3"

11.5 / 4.5"

BELL TABLE

Process
Formed from press steel then plated in brass, copper, chrome, iridescent PVD blue and glossy black.

Cleaning Instructions
Clean with a soft dry cloth only. Do not use polishing agents, water or abrasive materials when cleaning. Always switch on off the electricity supply before cleaning.

Country of origin
Taiwan

Packaging
|	
Height	0.66 m
Width	0.34 m
Length	0.34 m
Weight	6.7 kg

Product weight
3.9 kg

Recommended Megaman LED
E27 GLS
Available at tomdixon.net

BELL TABLE LARGE

Bell is an exercise in reductionism, formed from pressed steel then plated in Brass, Copper, Chrome, Iridescent PVD Blue and Glossy Black. Bell's reflective surface allows it to take on the characteristics of its surroundings. Available across Table and Floor.

Year of Design	2017
Material	Steel
Bulb Spec	E27 60W (max). Bulb not included.
Cable Spec	200cm/78.7in black fabric cable.
Dimmability	Dimmer switch on base.

BELL TABLE LARGE EU

Code

Blue	BET02BLEU
Black	BET02BKEU
Chrome	BET02CHEU

40 / 15.7"

60 / 23.6"

16.5 / 6.5"

BELL TABLE LARGE

Process
Formed from press steel then plated in chrome, iridescent PVD blue and glossy black.

Cleaning Instructions
Clean with a soft dry cloth only. Do not use polishing agents, water or abrasive materials when cleaning. Always switch on off the electricity supply before cleaning.

Country of origin
Taiwan

Packaging
Height	0.77 m
Width	0.46 m
Length	0.46 m
Weight	10 kg

Product weight
8 kg

Recommended Megaman LED
E27 GLS
Available at tomdixon.net